## HEALTH APPRAISAL QUESTIONNAIRE - COMPREHENSIVE PATIENT FORM

NA	ME:					DATE:	
	r answers to this health appraisal questionnaire wer all questions, in each section.	vill a:	ssist yo	our pro	actitioner i	gaining information about your current symptoms and health concerns.	Please
	cle the number which best describes the frequency propriate letter.	y or	severit	y of yo	our sympto	ms over the previous <b>month</b> , or answer the <b>yes</b> or <b>no</b> questions by circl	ing the
You	may note that some questions are repeated throu urate interpretation of your results. You may howe	ughoi	ut the	questic	onnaire. W	e would appreciate it if you can answer <b>all</b> questions, as this will ensure the	e mos
ucc	ordie illierpretation of your results. Too may howe	verie	euve u				
		Never	Occasionally	Moderately / Ofter	Frequently / Daily	Never Occasionally Moderately / Offen	Frequently / Daily
	CTION 1: GASTROINTESTINAL					Section 1.3 Small Intestine/Pancreas	
Sec	tion 1.1 Stomach: Hypoacidity					1. Indigestion, bloating and fullness for several	
1.	Indigestion	0	1	2	3	hours after eating 0 1 2	3
2.	Excessive belching, burping	0	1	2	3	2. Abdominal cramps or aches 0 1 2	3
3.	Bloating or fullness commencing during or					3. Nausea and/or vomiting 0 1 2	3
	shortly after a meal	0	1	2	3	4. Excessive passage of gas 0 1 2	3
4.	Sensation of food sitting in stomach for a					5. Diarrhoea (loose, watery or frequent bowel	
	prolonged period after a meal	0	1	2	3	movements) 0 1 2	3
5.	Bad breath	0	1	2	3	6. Constipation (requiring straining, or a hard,	
6.	Loss of appetite, or nausea	0	1	2	3	dry or small stool) 0 1 2	3
7.	History of anaemia	Ν			Y (3)	7. Alternating constipation and diarrhoea 0 1 2	3
						8. Undigested food in stools 0 1 2	3
			TOTAL	.:		9. Stools greasy, smelly or stick to toilet bowl 0 1 2	3
						10. Black tarry stools 0 4 8	10
Sec	tion 1.2 Stomach: Hyperacidity					11. Certain foods worsen abdominal symptoms N	Y (3
1.	Stomach pain, burning or aching,					12. Dry flaky skin and dry brittle hair N	Y (3
	1-4 hours after eating	0	1	2	3	13. Difficulty gaining weight N	Y (3
2.	Feeling hungry just an hour or two after eating	0	1	2	3		
3.	Indigestion or heartburn from spicy or					TOTAL:	
	fatty food, citrus, alcohol, or caffeine	0	1	2	3	Section 1.4 Colon	_
4.	Stomach discomfort or pain in response					Lower abdominal pain, cramping	
	to strong emotions, thoughts, or smell of food	0	1	2	3	and/or spasms 0 1 2	3
5.	Heartburn aggravated by lying down or					2. Lower abdominal pain relieved by	
	bending forward	0	1	2	3	passing gas or stool 0 1 2	3
6.	Antacids, carbonated beverages, milk,					3. Excessive gas and bloating 0 1 2	3
	cream or food relieve the above symptoms	0	1	2	3	4. Certain foods or stress aggravate	
7.	Constipation	0	1	2	3	lower abdominal pain 0 1 2	3
8.	Difficulty or pain when swallowing	0	2	4	6	5. Diarrhoea (loose, watery or	
9.	Black tarry stools	0	4	8	10	frequent bowel movements) 0 1 2	3
10.	Vomiting blood or vomitus has appearance					6. Constipation (requiring straining, or	
	of coffee-grounds	0	4	8	10	a hard, dry or small stool) 0 1 2	3
						7. Alternating diarrhoea and constipation 0 1 2	3
			TOTAL	.:		8. Sensation of incomplete emptying of bowel 0 2 4	6
						9. Extremely narrow stools 0 2 4	10
						10. Mucus or pus in stool 0 2 4	6
	MET2825 - HA - 04/11					11. Red blood with bowel movement 0 2 8	10
11111						12. Rectal pain or cramps 0 1 2	3

13. Anal itching

TOTAL:\_\_\_\_

0 1 2 3

		Never	Occasionally	Moderately / Often	Frequently / Daily		e New Y	Occasionally	Moderately / Often	Frequently / Daily
	tion 1.5 Liver/Gall Bladder/Pancreas						s of overactive thyroid			
Ι.	Upper abdominal pain, or pain under ribs	0		2	3	1. Fatigue, notable we			2	3
2.	Bloating or feeling of fullness after eating	0	I	2	3	0	erance to heat, sweaty 0		2	3
3.	Excessive belching or gas	0	1	2	3	<ol><li>Swelling or tightne</li></ol>	ess in front of neck	I		Y (8)
4.	Fatty foods cause indigestion or nausea	0	1	2	3	4. Diarrhoea (loose, w	atery or frequent			
5.	Loss of appetite	0	1	2	3	bowel movements)	0	1	2	3
6.	Nausea and/or vomiting	0	1	2	3	5. Weight loss, possibl	y with increased appetite N	ı		Y (3)
7.	Unexplained itchy skin	0	1	2	3	6. Palpitations	0	1	2	3
8.	Yellowish discolouration of skin or eyes,					7. Nervousness, irritab	ility, restlessness 0	1	2	3
	or dark coloured urine	Ν			Y (8)	8. Tremor	0	1	2	3
9.	Pale clay-coloured stools	0	2	4	8	9. Insomnia	0	1	2	3
10.	Fatigue, malaise or weakness	0	1	2	3	10. Visual disturbance,	problems with eyes,			
11.	Fluid retention, oedema	0	1	2	3	or development of s	staring gaze 0	2	4	6
12.	Easy bruising, or bleeding (e.g. of gums)	0	1	2	3	11. Poor libido	0	1	2	3
13.	Loss or thinning of body hair	Ν			Y (3)	12. Light, infrequent or	absent menstrual periods N	.		Y (3)
14.	Red skin, particularly on palms	Ν			Y (3)					
15.	Dry, flaky skin, or dry hair	Ν			Y (3)			Ţſ	OTAL:_	

TOTAL:

## **SECTION 2: ENDOCRINE**

## Section 2.1 Symptoms of underactive thyroid

			1			
1.	Fatigue, sluggishness	0	1	2	3	
2.	Feeling cold, or intolerance to cold	0	1	2	3	
3.	Swelling or tightness in front of neck	Ν			Y (8)	
4.	Constipation (requiring straining, or a					
	hard, dry or small stool)	0	1	2	3	
5.	Dry skin and hair	Ν			Y (3)	
6.	Puffy face, hands or feet	0	1	2	3	
7.	Gaining of weight, or decreased appetite	Ν			Y (3)	
8.	Low mood	0	1	2	3	
9.	Difficulty concentrating, poor memory	0	1	2	3	
10.	Low libido	0	1	2	3	
11.	Infertility	Ν			Y (3)	
12.	Heavier or more frequent menstrual periods	Ν			Y (3)	

TOTAL:

## Section 2.3 Stress, fatigue and adrenals

1.	Feeling stressed, nervous, or tense,				
	or unable to relax	0	1	2	3
2.	Feeling irritable or oversensitive	0	1	2	3
3.	Feeling overwhelmed, unable to cope	0	1	2	3
4.	Low mood, mood swings	0	1	2	3
5.	Difficulty concentrating or thinking clearly,				
	memory problems	0	1	2	3
6.	Need coffee, tea, tobacco, sugar or				
	chocolate as pick me ups	0	1	2	3
7.	Fatigued, tire easily	0	1	2	3
8.	Find it hard to get up and going in the morning	g O	1	2	3
9.	Difficulty staying awake during day	0	1	2	3
10.	Insomnia	0	1	2	3
11.	Palpitations or chest pain	0	1	2	3
12.	Nausea, dizziness	0	1	2	3
13.	Change in appetite	0	1	2	3

TOTAL:\_\_\_\_

		Never	Occasionally	Moderately / Often	Frequently / Daily			Never	Occasionally	Moderately / Often	Frequently / Daily
	CTION 3: IMMUNE					Sect	tion 4.2 Healthy blood pressure mainter		<b>A</b>		
1.	Frequent colds or 'flu	N			Y (3)	360	ion 4.2 Healiny blood pressure mainter	Iuiic	<u> </u>		
2.	Frequent infections in other locations				1 (0)	1.	Headaches	0	1	2	3
	(e.g. bladder, skin)	0			3	2.	Nosebleeds	0	1	2	3
3.	Diarrhoea	0	1	2	3	3.	Redness in face	0	1	2	3
4.	Ears continuously drain	0	1	2	3	4.	Ringing in ears or blurred vision	0	1	2	3
5.	Nasal congestion or discharge	0	1	2	3	5.	History of high blood pressure	Ν			Y (6
6.	Sore throat	0	1	2	3		, 3				,
7.	Cough with mucus	0	1	2	3				TC	DTAL:_	
8.	Cold sores	0	1	2	3						
9.	Inflamed or bleeding gums, or swollen,					Sect	ion 4.3 Heart				_
	red lips or tongue	0	1	2	3			0	1	2	
10.	Wounds heal slowly	N			Y (3)	1.	Palpitations Dizziness	0	1	2	3
11.	Excessive loss of hair	N			Y (3)	1	Pain or heaviness in central chest	0			10
12.	Neck, armpit or groin swelling	0	1	2	6	3.		U	4	8	10
				_		4.	Heartburn, pain or heavy crushing				
			TC	OTAL:			sensation that moves to neck, jaw, left	•			1,
			, ,	, , , ,		_	shoulder or arm	0	4	8	10
Sec	tion 3.2 Allergy					5.	Pallor or sweating with chest discomfort or				,
			1			† ,	with unusual indigestion	0	2	4	6
1.	Migraine or non-migraine headache	0	1	2	3	6.	Fatigue easily, poor exercise tolerance	0	1	2	3
2.	Sensitivity to light (skin or eyes)	0	1	2	3	7.	Shortness of breath with exertion	0	1	2	3
3.	Dark circles under eyes	0	1	2	3	8.	Shortness of breath lying flat in bed, or				
4.	Swollen eyes, lips, face, or other body parts	0	1	2	3		sudden shortness of breath in the				
5.	Localised or general itching – eyes, ears,						middle of the night	0	4	8	10
	throat, nose, skin	0	1	2	3	9.	Wheezing or dry cough	0		2	3
6.	Rashes or eczema	0	1	2	3	10.	Veins on neck are prominent	0	1	2	3
7.	Clear watery discharge from nose or eyes	0	1	2	3	11.	Swelling in feet, ankles or legs	0	1	2	3
8.	Sneezing, coughing or wheezing	0	1	2	3	12.	History of high blood cholesterol	Ν			Y (6)
9.	Irritability, fatigue	0	1	2	3						
10.	Certain foods worsen symptoms, or								TC	DTAL:_	
	cause palpitations	Ν			Y (3)						
			TC	DTAL:_							
	CTION 4: CARDIOVASCULAR tion 4.1 Healthy red blood cell mainten	ance	-	+	+						
1	Europaina fationia	0	1	0	2						
1.	Excessive fatigue	0	1	2	3						
2.	Prolonged recovery after exercise	0	1	2	3						
3.	Low exercise tolerance, shortness of	^	,	_							
,	breath with exertion	0	1	2	3						
4.	Dizziness, spots before eyes, or ringing in ears		1	2	3						
5.	Difficulty concentrating, poor memory	0	1	2	3						
6.	Yellowing of eyes or skin	Ν			Y (6)						
7.	Pale eyelids, lips, gums, nails	0	1	2	3						
8.	Red sore tongue	0	1	2	3						
9.	Sores in corner of mouth	0	1	2	3						

0 1 2 3

10. Easy bruising or bleeding

		Never	Occasionally	Moderately / Often	Frequently / Daily			Never	Occasionally	Moderately / Often	Frequently / Daily
Sec	tion 4.4 Circulatory system					SEC	TION 6: GENITOURINARY SYST			)	
1.	Poor circulation in extremities: coldness, or						REPRODUCTIVE HORM	ON	ES		
	numbness, tingling or pricking sensations in						Section 6.1 Kidney/Bladder				
	hands or feet, discolouration in fingers or toes	0	1	2	3	1.	Fluid retention throughout body	0	2	4	1
2.	Ulcers on feet or legs	Ν			Y (6)	2.	Lower back pain	0	1	2	
3.	Muscle pain in calves or thighs with walking	0	1	2	3	3.	Excessive urination	0	1	2	
4.	Difficulty concentrating, poor memory	0	1	2	3	4.	Excessive urination during night	0	1	2	
5.	Faints, or falls with unknown cause	0	4	8	10	5.	Burning with urination	0	1	2	
<b>5</b> .	Brief periods of difficulty speaking,					6.	Frequent urination	0	1	2	
	swallowing, or understanding speech or					7.	Urgency of urination	0	1	2	
	written word	0	4	8	10	8.	Bloody, cloudy or darkened urine, or				
7.	Brief periods of loss of whole or part of vis	ion,					strong-smelling urine	0	1	2	
	double vision, impaired coordination, or					9.	Incontinence	0	1	2	
	areas of numbness	0	4	8	10	10.	Infrequent urination	0	2	4	
						11.	Grey cast to skin	0	2	4	
			TC	DTAL:		12.	Severe one-sided lower back or groin pain				
SE	CTION 5: GLUCOSE TOLERANCE			_			associated with restlessness	0	1	2	
	tion 5.1 Symptoms of hypoglycaemia					13.	History of kidney stones	Ν			Υ (
	en you miss a meal, do you feel	0	,						TC	TAL:	
	Fatigue and weakness, or feeling shaky	0	1	2	3					_	
	Mild headache	0	1	2	3						
		_	_	_	_	l Sect	ion 6.2 Prostate/Male normone balance	=			
3.	Sweating or palpitations	0	1	2	3		ion 6.2 Prostate/Male hormone balance only to answer this section)	=			
3. 1.	Feeling light-headed or faint	0	1	2	3						
3. 1.	Feeling light-headed or faint Difficulty concentrating, poor	0		2	3	(Men	only to answer this section)	0	1	2	
3. 1.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion	0		2	3	(Men	only to answer this section)  Difficulty starting urine flow, or		1	2	
3. 1.	Feeling light-headed or faint Difficulty concentrating, poor	0		2	3	(Men	only to answer this section)  Difficulty starting urine flow, or poor flow of urine		1	2	
3. 4.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion	0	1	2	3	(Men	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete		1	2	
3. 1.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion	0	1 1 1	2	3	(Men	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small	0			
3. 4.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion	0	1 1 1	2 2 2	3	(Men 1. 2.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed	0	1	2	
3. 4. 5.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion	0	1 1 1	2 2 2	3	(Men 1. 2. 3.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination	0 0 0	1	2 2	
3. 4. 5.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability	0	1 1 1	2 2 2	3	(Men 1. 2. 3. 4.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain	0 0 0 0	1 1 2	2 2 4	
3. 4. 5. 5.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  tion 5.2 Symptoms of hyperglycaemia	0 0 0	1 1 1 TCC	2 2 2 DTAL:_	3 3 3	3. 4. 5.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen	0 0 0 0	1 2 2	2 2 4 4	
3. 4. 5. 5.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  tion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite	0 0 0	1 1 TC	2 2 2 DTAL:_	3 3 3	3. 4. 5. 6.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection	0 0 0 0	1 1 2 2	2 2 4 4 2	
3. 1. 5. 5.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  tion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight	0 0 0	TC	2 2 2 DTAL:_	3 3 3 3 3	3. 4. 5. 6. 7.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection Premature ejaculation	0 0 0 0 0	1 2 2 1 1 1	2 2 4 4 2 2	
3. 4. 5. 6.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  tion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness	0 0 0 0 0 0 0 0	1 1 1 TC	2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3	3. 4. 5. 6. 7. 8. 9.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection Premature ejaculation  Low energy level or stamina	0 0 0 0 0	1	2 2 4 4 2 2	Y
3. 4. 5. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  tion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating	0 0 0 0 0 0 0 0 0 0	TC	2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3	3. 4. 5. 6. 7. 8. 9. 10.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection  Premature ejaculation  Low energy level or stamina  Infertility, low sperm count or poor motility	0 0 0 0	1	2 2 4 4 2 2	Υ (
3. 4. 5. 5. 6.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  tion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position	0 0 0 0 0 0 0 0	1 1 1 TC	2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3	3. 4. 5. 6. 7. 8. 9.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection  Premature ejaculation  Low energy level or stamina  Infertility, low sperm count or poor motility  Inflammation of penis, or unusual	0 0 0 0 0	1	2 2 4 4 2 2	
3. 4. 5. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  tion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive	0 0 0 0 0 0 0 0 0 0 0	TC	2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3	3. 4. 5. 6. 7. 8. 9. 10.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection  Premature ejaculation  Low energy level or stamina  Infertility, low sperm count or poor motility  Inflammation of penis, or unusual discharge from penis	0 0 0 0 0	1	2 2 4 4 2 2	Y (;
3. 4. 5. 5. 6. 1. 2. 3. 4. 5.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  tion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain	0 0 0 0 0 0 0 0 0	TC	2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3	3. 4. 5. 6. 7. 8. 9. 10.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection  Premature ejaculation  Low energy level or stamina  Infertility, low sperm count or poor motility  Inflammation of penis, or unusual discharge from penis  Genital or groin rash, irritation,	0 0 0 0 0 0 0 N <b>Z</b>	1	2 2 4 4 2 2 2 2	Y (X
3. 4. 5. 5. 6. 1. 2. 3. 4. 5.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  tion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain Recurrent or persistent infections		1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3	3. 4. 5. 6. 7. 8. 9. 10. 11.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection Premature ejaculation  Low energy level or stamina  Infertility, low sperm count or poor motility  Inflammation of penis, or unusual discharge from penis  Genital or groin rash, irritation, itchiness or infection	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	2 2 4 4 2 2 2 2 2 2	Y (X
11. 22. 33. 44. 55. 65.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  tion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain Recurrent or persistent infections (e.g. bladder, skin)		TC	2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3 3	3. 4. 5. 6. 7. 8. 9. 10. 11.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection  Premature ejaculation  Low energy level or stamina  Infertility, low sperm count or poor motility  Inflammation of penis, or unusual discharge from penis  Genital or groin rash, irritation, itchiness or infection  Painful testicle(s)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	2 2 4 4 2 2 2 2	Y (:
3. 41. 55. 55. 55. 55. 65. 65. 65. 65. 65. 65	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  tion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain Recurrent or persistent infections (e.g. bladder, skin) Ulcers or sores on legs or feet	0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3 4 Y (3)	3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection Premature ejaculation  Low energy level or stamina  Infertility, low sperm count or poor motility  Inflammation of penis, or unusual discharge from penis  Genital or groin rash, irritation, itchiness or infection  Painful testicle(s)  Testicles uneven in size, texture or hardness	0 0 0 0 0 0 0 N N N O O N	1	2 2 4 4 2 2 2 2 2 2	Y ((
3. 4. 55. 56. 56. 56. 56. 56. 56. 56. 56. 56	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  tion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain Recurrent or persistent infections (e.g. bladder, skin) Ulcers or sores on legs or feet Slow wound healing	0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3 4 (3) Y (3)	(Men 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection  Premature ejaculation  Low energy level or stamina  Infertility, low sperm count or poor motility  Inflammation of penis, or unusual discharge from penis  Genital or groin rash, irritation, itchiness or infection  Painful testicle(s)  Testicles uneven in size, texture or hardness  Both testicles appear smaller	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	2 2 4 4 2 2 2 2 2 2	Y ((
3. 4. 5. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  tion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain Recurrent or persistent infections (e.g. bladder, skin) Ulcers or sores on legs or feet	0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3 4 Y (3)	3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection  Premature ejaculation  Low energy level or stamina  Infertility, low sperm count or poor motility  Inflammation of penis, or unusual  discharge from penis  Genital or groin rash, irritation, itchiness or infection  Painful testicle(s)  Testicles uneven in size, texture or hardness  Both testicles appear smaller  Loss or thinning of body or facial hair, or	0 0 0 0 0 0 0 N N N O O N	1	2 2 4 4 2 2 2 2 2 2	Y (4 Y (5 Y (5
3. 44. 55. 66. 1. 22. 33. 44. 55. 77. 33.	Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  tion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain Recurrent or persistent infections (e.g. bladder, skin) Ulcers or sores on legs or feet Slow wound healing	0 0 0 0 0 0 0 0 0	TC	2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3 4 (3) Y (3) Y (6)	(Men 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection  Premature ejaculation  Low energy level or stamina  Infertility, low sperm count or poor motility  Inflammation of penis, or unusual discharge from penis  Genital or groin rash, irritation, itchiness or infection  Painful testicle(s)  Testicles uneven in size, texture or hardness  Both testicles appear smaller	0 0 0 0 0 0 0 N N N O O N	1	2 2 4 4 2 2 2 2 2 2	Y ((

TOTAL:\_\_\_

# Occasionally Moderately / Often Frequently / Daily

## Section 6.3 Symptoms of PMS (Women only to answer this section)

Symptoms experienced in the 3 to 14 days prior to menstruation, in the last 3 months

1. Insomnia

	ion dunion, in the last o monnie				
1.	Insomnia	0	1	2	3
2.	Abdominal bloating	0	1	2	3
3.	Breast tenderness, swelling or lumps	0	1	2	3
4.	Feeling depressed, teary, or sensitive	0	1	2	3
5.	Feeling anxious, irritable, or easily angered	0	1	2	3
6.	Diarrhoea or constipation	0	1	2	3
7.	Headaches or migraines	0	1	2	3
8.	Food cravings or binge eating	0	1	2	3
9.	Back pain	0	1	2	3
10.	Fluid retention or weight gain	0	1	2	3
11.	Clumsiness	0	1	2	3
12.	Feeling aggressive, or feeling suicidal	0	4	8	10

TOTAL:

## Section 6.4 Menstrual irregularities (Women only to answer this section)

	(	,			,	
Symp	otoms experienced in the past 3 months					
1.	Irregular intervals between periods	Ν			Y (3)	
2.	Long period cycles, greater than 32 days	Ν			Y (3)	
3.	Short period cycles, less than 24 days	Ν			Y (3)	
4.	Vaginal bleeding between periods	Ν			Y(10)	
5.	Painful periods – lower abdomen or back	0	1	2	3	
6.	Pain with periods is worsening	Ν			Y (6)	
7.	Painful intercourse during menstruation	0	1	2	3	
8.	Pelvic and/or rectal pressure					
	around menstruation	0	1	2	3	
9.	Constipation or diarrhoea with menstruation	0	1	2	3	
10.	Nausea and/or vomiting with menstruation	0	1	2	3	
11.	Light blood flow	Ν			Y (3)	
12.	Heavy blood flow, or flooding	Ν			Y (3)	
13.	Passage of large or profuse blood clots	Ν			Y (3)	
14.	Prolonged duration of bleeding	Ν			Y (3)	
15.	Number of days					
16.	Absence of menstrual flow for more					
	than 5 months	Ν			Y (6)	

TOTAL:

	tion 6.5 Symptoms of menopause nen only to answer this section)	Never	Occasionally	Moderately / Often	Frequently / Daily	
1.	Irregular menstrual cycle and/or changes					
	in menstrual flow (heavier or lighter)	Ν			Y (3)	
2.	Dry skin, hair or vagina	0	1	2	3	
3.	Low libido	0	1	2	3	
4.	Mood swings, irritability, depression,					
	nervousness, anxiety	0	1	2	3	
5.	Hot flushes	0	1	2	3	
6.	Night sweats	0	1	2	3	
7.	Headaches or dizziness	0	1	2	3	
8.	Painful intercourse	0	1	2	3	
9.	Insomnia	0	1	2	3	
10.	Difficulty concentrating, poor					
	memory, or confusion	0	1	2	3	
11.	Thinning of armpit and pubic hair, or					
	increased hair growth on upper lip	Ν			Y (3)	
12.	Breasts reducing in size and starting to sag	Ν			Y (3)	

TOTAL:

## Section 6.6 Other female sexual and hormonal problems (Women only to answer this section)

(11011	ien only to answer mis seemon,				
1.	Vaginal dryness or pain	0	1	2	3
2.	Painful intercourse	0	1	2	3
3.	Milk production (not nursing),				
	or engorged breasts	0	1	2	3
4.	Low libido	0	1	2	3
5.	Excessive libido	0	1	2	3
6.	Acne and/or oily skin	0	1	2	3
7.	Excess facial hair	Ν			Y (3)
8.	Breasts shrinking	Ν			Y (3)
9.	Thinning body hair	Ν			Y (3)
10.	Infertility	Ν			Y (3)
11.	Miscarriage	Ν			Y (3)
12.	Vaginal discharge: excessive,				
	smelly, or coloured	0	1	2	3
13.	Burning or itching of external genitalia	0	1	2	3
14.	Vaginal bleeding after intercourse,				
	or between periods	0	1	2	3
15.	Lower abdominal or back pain	0	1	2	3
16.	Breast lumps, or a change in				
	breast size or shape	Ν			Y (8)
17.	Nipple discharge, or change in				
	appearance of nipple	0	2	6	8
18.	Swelling under armpit	Ν			Y (6)

TOTAL:\_\_\_\_

ΤΛ.	AL	Never	Occasionally	Moderately / Often	Frequently / Daily	Sac	tion 7.3 Connective tissue (Continued)	Never	Occasionally	Moderately / Often	Frequently / Daily
IA	AL										
						11. 	71 07 0 0				
ine	iess	0	1	2	3		in neck, shoulders or arms	0	2	4	6
		0	1	2	3	12.	1 , , , ,	Ν			Y (3)
		Ν			Y (8)	13.	, 1				
		0	1	2	3		elbows, knees, toes	N			Y (3
		0	1	2	3	14.	7 1	Ν			Y (3
		0	1	2	3	15.	Muscle wasting	Ν			Y (3
in	n ears	Ν			Y (8)						
		Ν			Y (8)					OTAL:_	
		Ν			Y (6)	1	CTION 8: BRAIN AND NERVOUS	SSY	STEM	1	
		Ν			Y (8)	Sec	tion 8.1 Neurological		_	-	_
		Ν			Y (3)	1.	Headache	0	1	2	3
ne	ieck	Ν			Y (3)	2.	Light-headedness, fainting	0	2	4	6
		Ν			Y (8)	3.	Ringing or buzzing in ears	0	1	2	3
						4.	Trembling hands	0	1	2	3
			TC	OTAL:_		5.	Weakness	0	2	4	6
						6.	Numbness, pins and needles, or				
							tingling in limbs	0	2	4	6
		0	1	2	3	7.	Unsteady on feet	0	2	6	8
		0	1	2	3	8.	Easily fatigued	0	1	2	3
uch	ch	0	1	2	3	9.	Poor hand coordination	0	2	6	8
		0	1	2	3	10.	Convulsions, seizures or funny turns	0	4	8	10
		0	1	2	3	11.	Difficulty concentrating, confused,				
		0	1	2	3		poor memory	0	1	2	3
		0	1	2	3	12.	Clumsy	0	1	2	3
		0	1	2	3	13.	Drooping eyelid(s)	0	2	4	6
		0	1	2	3	14.	Impaired hearing, eyesight, sense				
		0	1	2	3		of touch, smell or taste	0	4	8	10
		0	2	4	8	15.	Slow or slurred speech	0	4	8	10
		N	_		Y (8)		Incontinence	0	2	4	6
			TC	DTAL:_					TO	OTAL:_	
						Sec	tion 8.2 Stress history				
		0	1	2	3	ln n	ast 2 years have you experienced				
		0	1	2	3	1.	Divorce	Ν			Y (4)
		0	1	2	3	2.	Separation from partner	N			Y (4)
		0	1	2	3	3.	Marriage	N			Y (3)
		J	'		J	4.	Death of close family member or friend	N			Y (4)
		0	2	4	6	5.	Loss of work, retirement or starting a new job				Y (3)
1						6.	Bankruptcy, or a major change in finances	, N			Y (3
int	IT	0	1	2	3	1	Moving house	N			Y (2
		0	1	2	3	7.					
ositi	ition	0	1	2	3	8.	Major personal injury or illness	N			Y (3
			1			J 9.	violations of the law	N			Y (2
55111	•	0		2 2		3	3 9.	3 9. Violations of the law	3 9. Violations of the law N	3 9. Violations of the law N	3 9. Violations of the law N

		Never	Occasionally	Moderately / Often	Frequently / Daily			Never	Occasionally	Moderately / Often	: (
Sec	tion 8.3 Symptoms of insomnia					SEC	TION 10: HAIR, SKIN AND NAI	LS (Con	ntinuec	(k	
Do y	/ou					7.	Rashes	0	1	2	
1.	Have an overactive mind, or worry excessively	0	1	2	3	8.	Areas of increased pigmentation	0	1	2	
2.	Live or work in a stressful environment	0	1	2	3	9.	Areas of decreased pigmentation	0	1	2	
3.	Suffer from constant pain or discomfort	0	1	2	3	10.	Unusual or changing moles	Ν			Υ
4.	Eat chocolate or drink caffeine in the evenings		1	2	3	11.	Areas of unexplained redness	0	1	2	
5.	Have difficulty falling asleep or staying asleep		1	2	3	12.	Undiagnosed skin lumps/bumps	N	_		Υ
6.	Eat after 8pm	0	1	2	3	13.	Discoloured nails	0	1	2	
			T/	DTAL:		14.	Pitted nails	0	1	2	
			IC	JIAL:_		15.	Weak/brittle nails Thickened nails	0	1	2	
Sac	tion 8.4 Normal, healthy learning and c	once	ntrat	ion		16.	Inickened nails	0	ı	2	
		Once	iiii ai	1011					TC	OTAL:	
۰٥ مر ۱.	rou Find if difficult to keep still or are fidgety	0	1	2	3					J 17 (E	
2.	Have a short attention span	0	1	2	3						
3.	Find it difficult to relax	0	1	2	3					rate	
4.	Experience mental confusion or sluggishness	0	1	2	3			None	Mild	Moderate	
5.	Have or had learning difficulties	Ν			Y (3)			Z	>	>	
5.	Have food allergies	Ν			Y (2)						
2. 3. 1. 5.	Wheezing Shallow breathing Cough, dry or moist Thick yellow, greenish or brown sputum Blood in sputum Frothy sputum	0 0 0 0 0	1 1 1 2 2	2 2 2 2 4 4	3 3 3 6 6	<ol> <li>3.</li> <li>4.</li> <li>5.</li> </ol>	Tyramine (red wine, cheese, bananas, chocolate) Caffeine Chemicals such as fragrances, exhaust fumes, cigarette smoke or other strong odours Even small amounts of alcohol	0 0 0 0	1 1 1 1	2 2 2 2	
3.	Noisy rattling sounds when breathing	0	1	2	3	6.	Do you have a history of exposure to chemical	s			
۶.	Pain in chest	0	1	2	3		such as herbicides, insecticides, pesticides or				
10.	Bad breath or sputum smells offensive	0	1	2	3	_	organic solvents?	N			Y
11.	Loud snoring	0	1	2	3	7.	Alcohol			8-14	1
12.	Colds always "go to the chest"	Ν			Y (3)	8.	(number of drinks per week)  Coffee or other caffeinated drinks		(1) 1-2	(2)	
13.	Bluish nails or lips	0	2	4	10	0.	(number per day)		(1)	(2)	
						9.	Smoking (number per day)?		1-8	9-19	2
			IC	DTAL:_		10.	Type				
						11.	If not currently smoking,		(3)	(3)	
							have you quit smoking in the last year?	Ν			Υ
				Moderate	Φ	12.	Recreational drugs?	Ν			Y
		None	Wild	lode	Severe	13.	Туре				
		Z	\$	\$	Š	14.	What is your blood type?				
SEC	CTION 10: HAIR, SKIN AND NAI	LS							_	~=	
	Acne	0	1	2	3				TC	OTAL:_	
١.	Psoriasis	0	1	2	3						
				1 -	_						
2.	Eczema/dermatitis	0	1	2	3						
1. 2. 3. 4.	Eczema/dermatitis Warts Tinea	0 0	1	2 2 2	3 3						

		Never	Occasionally	Moderately / Often	Frequently / Daily	Section 12.4	Occasionally	Moderately / Often	Frequently / Daily
SECTION 12: GENERAL HEALTH HISTORY						Which of the following types of medications have you			
Section 12.1 Patient health history					taken in the last 6 months?				
1.	Frequency of exercise (days per week)	6-7	3-5	1-2	0	1. Asthma medications/inhalers N			Υ
	, , , , , , , , , , , , , , , , , , , ,	(O)	(1)	(2)	(3)	2. Anti-diabetics/insulin N			Y
2.	Vegetarian or vegan	N	, ,	,	Y (2)	3. Steroids e.g. cortisone N			Υ
3.	Age >50 years	Ν			Y (3)	4. Anti-inflammatories/aspirin N			Υ
4. Planning to have a baby in the next 3-6 monthsN					Y (3)	5. Paracetamol N			Υ
5.	Pregnant or breastfeeding	Ν			Y (3)	6. High blood pressure N			Υ
						7. Heart N			Υ
TOTAL:			OTAL:		8. Thyroid N			Υ	
					9. Antihistamines				
Section 12.2 Weight management					10. Antiulcer medications, antacids N			Υ	
1.	Do you diet often?	Ν			Y (3)	11. Antibiotics/antifungals N			Υ
2.	Are you unhappy with your weight?	N			Y (3)	12. Antidepressants N			Υ
	, as yes simappy yese.g				. (5)	13. Antipsychotics N			Υ
			TO	OTAL:		14. Relaxants/sleeping tablets N			Υ
10 II IL					15. Hormones/oral contraceptives N			Υ	
Section 12.3 High risk symptoms					16. Chemotherapy N			Υ	
1.	Unexplained weight loss	N			V (4)	17. Any other medications?			Υ
		0	2	4	Y (6)	18. Type			
2. 3.	Night sweats Fevers	0	2	4	_				
3. 4.	Lumps, e.g. breast, armpit, skin	N	2	4	Y (6)	List the nutritional or herbal supplements you are currently	taking	J	
5.	Reduced appetite	0	2	4	6				
6.	Severe fatigue	0	2	4	6				
			ТО	OTAL:		List any major health problems in past, surgery, etc  List your major health concerns at present  Family History  Do you have a family history of diabetes, cardiovascular dany other major illness?	isease	, cance	er, or

Thank you, for your taking the time to complete this questionnaire.